


REAR AND FRONT LAWNMOWERS  
TC AND F SERIES











## TOSAERBA FRONTALE - SERIE F

Sempre per trattori dai 12 ai 60 cavalli, il tosaerba anteriore serie F con larghezze da 1200, 1500, 1800 e 2350 mm., a scarico posteriore o laterale. Disponibile in 21 versioni con presa di forza a 540 o 1000 giri e, su richiesta, per i modelli F12-F15-F18-F24, a 2000 giri, è dotato di attacchi regolabili assialmente per poter essere applicato a qualunque trattore con sollevatore idraulico anteriore. Stesse doti di versatilità, semplicità, sicurezza, robustezza e confort della serie TC.



## FRONT MOWER - F SERIES

The F series front mower, which is available with cutting widths of 1200, 1500, 1800 and 2350 mm, dumping side or rear position, can also be used with 12 to 60 HP tractors. This mower is available in 21 versions with a power takeoff of either 540 or 1000 rpm, although a 2000 rpm PTO can be requested for models F12 - F15 - F18 - F24. All 21 versions are fitted with axially adjustable hitches so that the mower can be attached to any tractor that has a front hydraulic lift system. The same features of versatility, simplicity, safety, toughness and ease present in the TC series also apply to the F series mowers.



